9000180

TO ALL TO WHOM THESE PRESENTS SHALL COME;

# Dairyland Seed Co., Inc.

Colhereus, there has been presented to the

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, therefore, this certificate of plant variety protection is to grant UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, MPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT T. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'DSR-262'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C.

this 29th day of July in the year of our Lord one thousand nine

hundred and ninety-four.

Allest

icultural Marketing Service

Mihr Es,

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

FORM APPROVED: OMB 0581-0055, Expires 1/31/91

U.S. DEPARTMENT OF A AGRICULTURAL MARKET	GRICULTURE	·· , <u></u>		-	Application is required in order t
APPLICATION FOR PLANT VARIET	Y PROTEC	TION	CERTIFICA	TE	determine if a plant variety protectio certificate is to be issued (7 U.S.C. 2421 Information is held confidential unt certificate is issued (7 U.S.C. 2426).
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		· ·	2. TEMPORARY DE	SIGNATION OR	3. VARIETY NAME
Dairyland Seed Company, Inc.			DST 231		DSR-262
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)			5. PHONE (Include	area code)	FOR OFFICIAL USE ONLY
P.O. Box 958, 3570 Hwy. H					PVPO NUMBER
West Bend, WI 53095			414/338-0	0163	9000180
					Date May 25, 1990
·	7. FAMILY NAME	(Botanica	Đ		Time V
<u>Glycine Max</u>	Legumi	nosa	е		G 12:00 □ A.M. □ P.M.
8. CROP KIND NAME (Common Name)		9. D/	ATE OF DETERMINAT	TION	F Filing and Examination Fee:
Soybean		F	ebruary 1	987	E 13 21 30
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGAN	IIZATION (Corporat	1 '	_		R May 25, 1990
Corporation					C Certificate Pee:
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DATI	OF INCORPORATION	N	V Date
Wisconsin		De	cember 19	63	E July 6, 1994
Dairyland Seed Company, Inc.	O. Sample mailed to easurer of the UnD BY VARIETY NAME OF THE TRANSPORT OF THE UNIT OF THE	Plant Variated State ME ONLY A NO (If "NO, "YES" TO I	riety Protection Offices." IS A CLASS OF CER" Skip to item 18 belo TEM 16, WHICH CLA	MAY A Deposit Variable of the projection of the	section 83(a) of the Plant Variety
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MA	PRETED IN THE 11	S OB OTL	IED COLINITATEO		
YES (If "YES," give names of countries and dates)		OK OIF			
20. The applicant(s) declare(s) that a viable sample of basic seer request in accordance with such regulations as may be applicant(s) is (are) the owner(s) of this suniform, and stable as required in section 41, and is entitled Applicant(s) is (are) informed that false representation herei	able. exually reprod to protection ur	luced no nder the	vel plant variety provisions of sect	, and believe(s ion 42 of the Pl	s) that the variety is distinct
SIGNATURE OF APPLICANT [Owner(s)]		TY OR TITI			DATE
Thomas Istenature	EX		VICE PA	₹ <i>5</i> .	5-23-90
SIGNATURE OF APPLICANT [Owner(s)]	CAPACIT	TY OR TITE	Ē		DATE

FORM CSSD-470 (5-89) Edition of FORM LS-470, 3-86, is obsolete.

### EXHIBIT A: ORIGIN AND BREEDING HISTORY DSR-262

DSR-262 is a soybean cultivar derived from a cross of BSR201 \* A3127 by the pedigree method of breeding. The original cross was made at Clinton, Wisconsin.

Generation	Step	Year
Fo	Handcross	1982
$\mathbf{F_1}$	F <sub>1</sub> Increase	1982W
$\mathbf{F}_{2}$	Selection	1983
$\overline{F_3}$	Advance	1983W
$F_4$	Advance	1984W
F <sub>5</sub>	Yield Test	1984
$\mathbf{F_6}$	Yield Test	1985
	Reselection	
$F_7$	Single Plant Increase	1986
F <sub>8</sub>	Yield Test	1987
F <sub>9</sub>	Yield Test	1988
•	Increase	
${f F_{10}}$	Yield Test	1989
	Increase	

Observations indicate that DSR-262 is uniform and stable within commercially acceptable limits. As is true with other soybean varieties, a small percentage of offtypes or variants can occur within commercially acceptable limits for almost any characteristic during the course of repeated multiplication.

#### EXHIBIT B: NOVELTY STATEMENT DSR-262

DSR-262 is most similar to A3127. Differences include, but are not necessarily restricted to the following:

DSR-262 compared to A3127

- DSR-262 is 5 days earlier
   DSR-262 is 7 cm shorter
- 3. DSR-262 is spherical flattened in shape, whereas A3127 is spherical in shape

#### EXHIBIT B: NOVELTY STATEMENT (ADDENDUM) DSR-262

'DSR-262' is distinguishable from '34870'. Differences include, but are not necessarily restricted to the following.

'DSR-262' compared to '34870'

- 'DSR-262' has a light purple hypocotyl, whereas '34870' has a dark purple hypocotyl.
- DSR-262' has an ovate leaflet shape, whereas '34870' has an oval leaflet shape.
- 3. 'DSR-262' has a medium green leaf color, whereas '34870' has a dark green leaf color.

EXHIBIT C

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

# OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

SOTBER	Try Ciric max 2.		
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION		\"
Dairyland Seed Company, Inc.	DST 2313	DSR-262	##************************************
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code	e)		AL USE ONLY
P.O. Box 958,3570 Hwy. H		_	. 10.
West Bend, WI 53095		700	0/80
Choose the appropriate response which characterizes the var in your answer is fewer than the number of boxes provided,	iety in the features described place a zero in the first box w	below. When the num hen number is 9 or les	ber of significant digits s (e.g., 0 9).
1. SEED SHAPE:	•	,	•
	 2 = Spherical Flattened	(L/W ratio > 1.2; L/T rat	tio = <b>&lt;</b> 1.2}
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	4 = Elongate Flattened	(L/T ratio > 1.2; T/W >	1.2)
2. SEED COAT COLOR: (Mature Seed)			
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)			, warmen
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	oy'; 'Gasoy 17')		
4. SEED SIZE: (Mature Seed)			
1 6 Grams per 100 seeds			
5. HILUM COLOR: (Mature Seed)	,		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Black	ack 6 = Black	7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)			
1 = Yellow 2 = Green			
7. SEED PROTEIN PEROXIDASE ACTIVITY:			
0 1 = Łow 2 = High			
8. SEED PROTEIN ELECTROPHORETIC BAND:			
0 1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )			
DST 2313  DSR-262  DAITYLAND Seed Coffeed and No., or R.F.D. No., City, State, and Zip Gode)  P.O. Box 958, 3570 Hay. H  West Bend, WI 55095  Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your natwer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g., 0 9).  1. SEED SHAPE:  2			
Dairyland Seed Company, Inc.  DST 2313  DSR-262.  ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code)  P.O. BOX 958, 3570 Hay. H West Bend, WI 53095  Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g., 0 9).  1. SEED SHAPE:  2 1 - Scherical (L.W., L.IT., and T.W. ratios > < 1.2)  3 - Sciengete (L.T. ratio > 1.2; T.W = < 1.2)  4 - Sciengete (L.W. ratio > 1.2; T.W > 1.2)  2. SEED COAT COLOR: (Mature Seed)  1 - Yellow 2 - Green 3 - Brown 4 - Black 5 - Other (Specify)  3. SEED COAT LUSTER: (Mature Seed)  1 - Duil ("Corsov 79"; "Braxton") 2 - Shiny ('Nebnoy'; "Gasoy 17")  4. SEED SIZE: (Mature Seed)  6. HILLIM COLOR: (Mature Seed)  1 - Yellow 2 - Groon  7. SEED PROTEIN PEROXIDASE ACTIVITY:  0 1 - Low 2 - High  8. SEED PROTEIN ELECTROPHORETIC BAND:  1 - Type A (SPI <sup>5</sup> ) 2 - Type 8 (SPI <sup>5</sup> )  2 - Green with broats band balow cotyledons ('Woodworth'; 'Trsey')  3 - Light Pupple below cotyledons ('Beson', 'Poiclett 71')  4 - Dark Pupple extanding to unifoliate leaves ('Hodgson', 'Coker Hampton 286A')  10. LEAFLET SHAPE:			
10. LEAFLET SHAPE:	· · · · · · · · · · · · · · · · · · ·		
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)		
			5

Page 2 of 4

	LET SIZE:	
2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12. LEAF	COLOR:	a de la companya del companya de la companya del companya de la co
2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
13. FLOW	ER COLOR:	
2	1 = White 2 = Purple 3 = White with purple throat	
14. POD 0	OLOR:	
1	1 = Tan 2 = Brown 3 = Black	
15. PLAN	PUBESCENCE COLOR:	and the second
2	1 = Gray 2 = Brown (Tawny)	
16. PLAN	TYPES:	
3	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17, PLAN	'HABIT:	
3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
18. MATU	RITY GROUP:	
0 5		
	1 = 000	8 = V
19. DISEA		
BACT	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X	
	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X  SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
BACT	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X  SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:	
BACT	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X  SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
0 2	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X  SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)	
0 2	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X  SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)  Wildfire (Pseudomonas tabaci)	
BACT 0 2 0 FUNGA	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X  SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  TERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)  Wildfire (Pseudomonas tabaci)  AL DISEASES:	
BACT 0 2 0 FUNGA	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X  SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)  Wildfire (Pseudomonas tabaci)  AL DISEASES:  Brown Spot (Septoria glycines)  Frogeye Leaf Spot (Cercospora sojina)	
BACT  0  2  0  FUNGA	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X  SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)  Wildfire (Pseudomonas tabaci)  AL DISEASES:  Brown Spot (Septoria glycines)  Frogeye Leaf Spot (Cercospora sojina)	
BACT  0  2  0  FUNGA  1	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X  SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  FERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)  Wildfire (Pseudomonas tabaci)  AL DISEASES:  Brown Spot (Septoria glycines)  Frogeye Leaf Spot (Cercospora sojina)  Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (	
BACT  0  2  0  FUNGA  1	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X  SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)  Wildfire (Pseudomonas tabaci)  AL DISEASES:  Brown Spot (Septoria glycines)  Frogeye Leaf Spot (Cercospora sojina)  Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Carget Spot (Corynespora cassiicola))	
BACT 0 2 0 FUNGA 1 0 2	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X  SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)  ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)  Bacterial Blight (Pseudomonas glycinea)  Wildfire (Pseudomonas tabaci)  AL DISEASES:  Brown Spot (Septoria glycines)  Frogeye Leaf Spot (Cercospora sojina)  Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Cargospora cassiicola)  Downy Mildew (Peronospora trifoliorum var. manshurica)	

FORM LMGS-470-57 (2-82)

19.	DISEA	SE REACTION	: (Enter 0 = Not Tested; 1 = Susceptible; 2 = R	esistant) (Continued)						
	FUN	GAL DISEASE	S: (Continued)							
	0	Pod and Stem Blight ( <i>Diaporthe phaseolorum</i> var; <i>sojae</i> )								
	2	Purple Seed Stain (Cercospora kikuchii)								
	0	Rhizoctonia Root Rot (Rhizoctonia solani)								
	· -··	Phytophthora Rot (Phytophthora megasperma var. sojae)								
	1	Race 1	0 Race 2 0 Race 3 1	Race 4 0 Race 5	0 Race 6	1 Race 7				
	0	Race 8	O Race 9 O Other (Specify)							
,	VIRA	AL DISEASES:	<del></del>							
	0	Bud Blight (To	obacco Ringspot Virus)							
	0	Yellow Mosaid	c (Bean Yellow Mosaic Virus)							
	0	Cowpea Mosa	ic (Cowpea Chlorotic Virus)		*					
	0	Pod Mottle (B	ean Pod Mottle Virus)							
	0	Seed Mottle (S	Soybean Mosaic Virus)							
	NEM.	ATODE DISEA	SES:							
	•	Soybean Cyst	Nematode (Heterodera glycines)							
	0	Race 1	0 Race 2 1 Race 3 0	Race 4 1 Other (S	Specify) Race 14	· · · · · · · · · · · · · · · · · · ·				
	0	Lance Nematode (Hoplolaimus Colombus)								
	0	Southern Root Knot Nematode (Meloidogyne incognita)								
	0	Northern Root Knot Nematode <i>(Meloidogyne Hapla)</i>								
	0	Peanut Root Knot Nematode <i>(Meloidogyne arenaria)</i>								
•		Reniform Nematode (Rotylenchulus reniformis)								
		OTHER DISEASE NOT ON EORM (Society):								
20.	PHYSIC		SPONSES: (Enter 0 = Not Tested; 1 = Susception	ible; 2 = Resistant)						
			on Calcareous Soil							
	0		/)							
21.			(Enter 0 = Not Tested; 1 = Susceptible; 2 = Res	sistant)						
	0		Beetle (Epilachna varivestis)							
	片	Potato Leaf Hopper (Empoasca fabae)								
	0	Other (Specify	)			_ <del>-</del>				
2.	NDICA	TE WHICH VA	RIETY MOST CLOSELY RESEMBLES THAT	SUBMITTED.						
		RACTER	NAME OF VARIETY	CHARACTER	NAME (	OF VARIETY				
	lant Sha		A3127	Seed Coat Luster		<del></del> ,				
	eaf Sha	-	. <del></del>	Seed Size						
	eaf Cole eaf Size			Seed Shape Seedling Pigmentation	•					

### 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
	MATURITY			CM Width	CM Length	% Protein	% Oil	SEEDS	POD
DSR-262 Submitted	262	1.6	84						:
A3127 Name of Similar Variety	267	1.7	91			****		<u>-</u>	<u> </u>

#### PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

## EXHIBIT E: STATEMENT OF THE BASIS OF APPLICANT'S OWNERSHIP DSR-262

DSR-262 was originated and developed by Dairyland Seed Company, Inc. By agreement between Dairyland Seed Company, Inc., and its employees, all rights of invention, discovery, or development made by an employee are assigned to the Company. No rights to such invention, discovery, or development are retained by any employees.